

Application Number

IDS Flag Clearance for Application

IDS
Information

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
<input type="button" value="UPDATE"/>				

10/620,344

INTERFERENCE SEARCH HISTORY PRINTOUT

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	11411	(linear (lamp or light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/06/06 14:43
2	BRS	L2	19435	fluorescent tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/06/06 14:43
3	BRS	L3	71372	light near4 tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/06/06 14:43
4	BRS	L4	93115	L1 or L2 or L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/06/06 14:43
5	BRS	L5	0	(L4 and (((transparent or transmiss\$4) (sleeve or case or casing or encasing or envelope)) same (variable thickness)) and ((light beam) with deflect\$4 with ends)).clm.	US-PGPUB	2006/06/06 14:44

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	11165	(linear (lamp or light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	S2	19122	fluorescent tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	S3	70455	light near4 tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	S4	91819	S1 or S2 or S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	S5	7523854	(film or lamina or transparency or plate or substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	S6	777737	S5 with (refractors or prisms or structures)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	S7	9749	S4 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	S8	1859	S4 with (sleeve\$3 or encasing or casing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	S9	3742	362/223,260,308,309,328.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	S10	6788	362/33,97,310,217,317,328,330,333,336,337,343,346.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	S11	4138	313/25,26,110,118,112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	S12	1337	358/494,475.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	S13	2095	359/454,455,741,742,837.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	S14	1859	S4 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	S15	11413	S7 or S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	S16	168	S15 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	S17	9055085	(film or lamina or transparency or plate or substrate or sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	S18	916343	S17 with (refractors or prisms or structures)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
19	BRS	S19	10931	S18 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	S20	12582	S19 or S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	S21	186	S9 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	S22	18	S21 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	S23	14236	S10 or S11 or S12 or S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	S24	444	S20 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	S25	381	S24 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	S26	5	("5550657" "5706134" "5814932" "6111699").PN. OR ("6560023").URPN.	US-PGPUB; USPAT; USOCR
27	BRS	S27	23	("3671101" "3850667" "4114983" "4310219" "4427265" "4529563" "4573766" "4989933").PN. OR ("5384658").URPN.	US-PGPUB; USPAT; USOCR
28	BRS	S28	28	("2017716" "2913575" "3069974" "3115309" "3124639" "3188513" "3247609" "3329812" "3588245" "3612655" "4053766").PN. OR ("4161014").URPN.	US-PGPUB; USPAT; USOCR
29	BRS	S29	40	S4 with ((sleeve\$3 or encasing or casing) with (thin\$4 or (less thick\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	S30	97	S8 and "313"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	S31	369	S8 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	S32	442	S30 or S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	S33	4	S32 and ((thin\$3 or (less thick\$4)) with (center or mid\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	S34	260496	"313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	S35	358	313/111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	S36	11168	((linear (lamp or light)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
37	BRS	S37	19130	fluorescent tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	S38	70471	light near4 tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	S39	91843	S36 or S37 or S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	S40	215	313/110,111.ccls. and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	S41	151	358/475.ccls. and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	S42	34	359/837.ccls. and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	S43	1867	362/223,260.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	S44	11411	(linear (lamp or light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	S45	19435	fluorescent tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	S46	71372	light near4 tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	S47	93115	S44 or S45 or S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	S48	143	S47 and (variable thick\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	S49	1590	(sleeve or case or casing or tube) same (variable thickness)	US-PGPUB; USPAT; USOCR
50	BRS	S50	1315	(sleeve or case or casing or tube) same ((thinner with center) or ((less thickness) with center))	US-PGPUB; USPAT; USOCR
51	BRS	S51	2894	S49 or S50	US-PGPUB; USPAT; USOCR
52	BRS	S52	102	S47 and S51	US-PGPUB; USPAT; USOCR
53	BRS	S53	5	("20020003670" "20020033671" "5252886" "5438343" "6586881").PN. OR ("6791267").URPN.	US-PGPUB; USPAT; USOCR
54	BRS	S54	23	("20030090749" "3457447" "3825742" "3885181" "4021659" "4054793" "4233651" "4503356" "4547813" "4575788" "4891664" "5040104" "5115380" "5189340" "5291379" "5343120" "5469303" "5632547" "5988836" "6550942" "6586881" "6789737").PN.	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
55	BRS	S55	50	("20030090749" "3457447" "3825742" "3885181" "4021659" "4054793" "4233651" "4503356" "4547813" "4575788" "4891664" "5040104" "5115380" "5189340" "5291379" "5343120" "5469303" "5632547" "5988836" "6550942" "6586881" "6789737").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	S56	7976	362/33,97,308-310,217,317,328,330,333,336,337,343,346.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	S57	4167	313/25,26,110,118,112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	BRS	S58	1355	358/494,475.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	S59	593	359/454,455.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	S60	13996	S56 or S57 or S58 or S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	BRS	S61	1902	S60 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	BRS	S62	1253	S60 and S47 and (sleeve or case or casing or envelop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	BRS	S63	1255	S60 and S47 and (sleeve or case or casing or encasing or envelop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	BRS	S64	0	S60 and S47 and ((sleeve or case or casing or encasing or envelop) with (variable thick\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	S65	1	S60 and S47 and ((sleeve or case or casing or encasing or envelop) same (variable thick\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	BRS	S66	421	S60 and S47 and (sleeve or case or casing or encasing or envelop) and "313"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	BRS	S67	764	S60 and S47 and (sleeve or case or casing or encasing or envelop) and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	BRS	S68	613	S63 and thick\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	S69	31	("2135696" "2363109" "2581959" "3358167" "3453470" "3602759" "3720826" "3808495" "4048537" "4916352" "4924368" "5173637").PN. OR ("5536998").URPN.	US-PGPUB; USPAT; USOCR
70	BRS	S70	11411	(linear (lamp or light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	BRS	S71	19435	fluorescent tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
72	BRS	S72	71372	light near4 tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	BRS	S73	93115	S70 or S71 or S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	BRS	S74	0	(S73 and (((transparent or transmiss\$4) (sleeve or case or casing or encasing or envelope)) same (variable thickness)) and ((light beam) with deflect\$4 with ends)).clm.	US-PGPUB